



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

This Account might be confirmed by many more Experiments I have made relating to this Subject ; but as I hope these already mentioned will be thought sufficient to confirm the Truth of what I have advanced, I shall forbear to trespass any longer on your Time, and subscribe myself

*Your most obedient
humble Servant,*

John Ellicott.

VII. *The Case of a Wound in the Cornea of the Eye being successfully cured by Mr. Tho. Baker, Surgeon to St. Thomas's Hospital, and by him communicated to the ROYAL SOCIETY, in a Letter to Dr. Mortimer, R. S. Secr.*

A Young Woman, about the Age of 15 Years, on the 6th Day of *November* 1733, received a Wound just in the Pupil of her right Eye, by the Spear of a common Fork. An Inflammation followed, with great Pain. The whole Eye appeared dark and turbid ; and the Humours seemed confused, and blended together. I opened a Vein in the Arm, and drew away 10 Ounces of Blood : I then washed the Eye with a Collyrium of *Trochisci Albi Rhafis*, and common Water, made Blood-warm ; and dressed it with a Cataplasm of white Bread and Milk, with a little Saffron in it. The next Day there appeared

ON

on the wounded Part of the *Cornea*, a large thick Slough: I dressed her in the same Manner, and so continued till the 18th Day of the same Month, when the Slough cast off. I purged her during this Time with *Decoct. Sennæ* ʒij, *Mann. Solut.* ʒss, *Aq. Pæon. comp.* ʒij; *m. f. Pot.* at the Distance of about three Days, just as I found her Strength would permit. The Inflammation and Pain abated daily. During the whole Time, the Eye was quite blind, till the Slough cast off, when she complained she saw double. In a very little time her Sight returned, but not so perfect as before; her Eye having somewhat of a Cloud before it.

I made her six Visits at the Distance of two or three Days after the 18th: When I left her, she saw perfectly well, that Cloud which she before complained of, being removed; her Eye appeared fair and clear; and, as she told me, was equally strong and useful to her as her other. A little Speck (which was the Cicatrix of the Wound) remaining on the *Cornea*, I made her a Fontanel in the Arm, and ordered her to keep it open, and not to touch the Speck on her Eye. It is now more than two Years since, the Speck has gradually decreased, and is now so small, that it is scarce visible; and her Sight is as perfect and strong as before this Accident.

Thomas Baker, Surgeon.